

## Covid-19 Paxlovid Standard Dose Ordering Process

Database Look up Tab has both strength dose packs and both Brand and Dispensable records.

Order Search

PAXLOVID

Database is only available for After Visit searches.

Database

After Visit Medications

Name	Dose	Frequency	Copay	Coverage	Formulary	Drug Type
PAXLOVID 150 MG-100 MG TABLET (EUA) (RENAL DOSE PACK)						Brand Rx, Compo...
nirmatrelvir-ritonavir (PAXLOVID) 300-100 mg standard dose pack (aka PAXLOVID)						Generic Rx, Com...
PAXLOVID 300 MG (150 MG X 2)-100 MG TABLET (EUA) (STANDARD DOSE PACK)						Brand Rx, Compo...
nirmatrelvir-ritonavir (PAXLOVID) 150-100 mg renal dose pack (aka PAXLOVID)						Generic Rx, Comp...

After Visit Procedures

Px Code	Name	Type
REF408001	OUTPATIENT COVID-19 TREATMENT (OUTPATIENT REFERRAL) (aka PAXLOVID)	Output Ref

When a medication is selected the alternative alert will fire.

Alternative Selection

**Alternative Recommended**

You selected:  
 nirmatrelvir-ritonavir (PAXLOVID) 150 mg x 2- 100 mg dose pack (STANDARD DOSING): Take 2 nirmatrelvir and 1 ritonavir tablet every 12 hours for 5 days. Disp-30 tablet, R-0, Normal

Details

**ALERT!!**  
 Utilize the referral order for patients with a complex medication list or past medical history (e.g. arrythmia, epilepsy, psychiatric disorder, need for anticoagulation). If not, you may proceed with ordering Paxlovid/molnupiravir directly.

**Alternatives**

Alternative	Details
<input type="radio"/> Outpatient COVID-19 treatment (OUTPATIENT REFERRAL)	Outpatient COVID-19 treatment (OUTPATIENT REFERRAL)

Continue with:

nirmatrelvir-ritonavir (PAXLOVID) 150 mg x 2- 100 mg dose pack (STANDARD DOSING): Take 2 nirmatrelvir and 1 ritonavir tablet every 12 hours f...

Accept Alternative Remove Order

When Continue With is selected, Accept Alternative box changes to Continue and a Reason box will pop up. The reason is NOT required.

Alternative Selection

**Alternative Recommended**

You selected:  
nirmatrelvir-ritonavir (PAXLOVID) 150 mg x 2- 100 mg dose pack (STANDARD DOSING): Take 2 nirmatrelvir and 1 ritonavir tablet every 12 hours for 5 days. Disp-30 tablet, R-0, Normal

Details



**ALERT!!**  
Utilize the referral order for patients with a complex medication list or past medical history (e.g. arrythmia, epilepsy, psychiatric disorder, need for anticoagulation). If not, you may proceed with ordering Paxlovid/molnupiravir directly.

**Alternatives**

Alternative	Details
<input type="radio"/> Outpatient COVID-19 treatment (OUTPATIENT REFERRAL)	Outpatient COVID-19 treatment (OUTPATIENT REFERRAL)

Continue with:

nirmatrelvir-ritonavir (PAXLOVID) 150 mg x 2- 100 mg dose pack (STANDARD DOSING): Take 2 nirmatrelvir and 1 ritonavir tablet every 12 hours f...

Reason:   

Order composer will automatically open since order questions are required.

nirmatrelvir-ritonavir (PAXLOVID) 150 mg x 2- 100 mg dose pack (STANDARD DOSING)
✓ Accept ✗ Cancel

Reference Links:

- 1. Liverpool Paxlovid Drug Interaction Checker
- 2. Lexi-Drugs
- 3. Pediatric Lexi-Drugs
- 4. LactMed
- 5. Paxlovid EUA
- 6. Covid-19 Therapeutics Locator
- 7. MedWatch: Required Adverse Event Reporting

⚠ Date of symptom onset:

⚠ Patient does not have a history of liver impairment, hepatitis, or elevated liver enzymes.

⚠ I have checked the Liverpool Drug Interaction Checker (Reference link 1) for interactions.

⚠ Patient understands and can safely manage all drug interactions per Liverpool recommendations while on Paxlovid and for up to 3 days after.

⚠ Is the patient's eGFR > 60? (if patient is 75 yrs or older, is CrCl > 60)

Product: **NIRMATRELVIR 300 MG (150 MG X 2)-RITONAVIR 100 MG TABLET (EUA) (STANDARD DOSE PACK)**

Sig Method:

Start Date:   End Date:   First fill:

Dispense:  tablet Refill:

Dispense As Written

Renewal Provider:    Do not send renewal requests to me

---

Mark long-term:  NIRMATRELVIR/RITONAVIR

Patient Sig: 

Take 2 nirmatrelvir and 1 ritonavir tablet every 12 hours for 5 days.

Class:

⚠ This medication will not be e-prescribed. Invalid items: Patient

Note to Pharmacy:

Indications:

COVID-19 (emergency use authorization)

Indications (Free Text):

⚠ Next Required
✓ Accept ✗ Cancel

Answer Questions as appropriate.

nirmatrelvir-ritonavir (PAXLOVID) 150 mg x 2- 100 mg dose pack (STANDARD DOSING)
✓ Accept ✗ Cancel

Reference Links: [1. Liverpool Paxlovid Drug Interaction Checker](#) • [2. Lexi-Drugs](#) • [3. Pediatric Lexi-Drugs](#)  
[4. LactMed](#) • [5. Paxlovid EUA](#) • [6. Covid-19 Therapeutics Locator](#)  
[7. MedWatch: Required Adverse Event Reporting](#)

Date of symptom onset:

**1** Patient does not have a history of liver impairment, hepatitis, or elevated liver enzymes.

**1** I have checked the Liverpool Drug Interaction Checker (Reference link 1) for interactions.

**1** Patient understands and can safely manage all drug interactions per Liverpool recommendations while on Paxlovid and for up to 3 days after.

**1** Is the patient's eGFR > 60? (if patient is 75 yrs or older, is CrCl > 60)

Product: **NIRMATRELVIR 300 MG (150 MG X 2)-RITONAVIR 100 MG TABLET (EUA) (STANDARD DOSE PACK)**

Sig Method:

Start Date:  End Date:  First fill:

Dispense:  tablet Refill:

Dispense As Written

Renewal Provider:   Do not send renewal requests to me

---

Mark long-term:  NIRMATRELVIR/RITONAVIR

Patient Sig: **Take 2 nirmatrelvir and 1 ritonavir tablet every 12 hours for 5 days.**

Class:

**ⓘ This medication will not be e-prescribed. Invalid items: Patient**

Note to Pharmacy:

Indications:

COVID-19 (emergency use authorization)

Indications (Free Text):


**1** Next Required
✓ Accept ✗ Cancel

Date of symptom onset will warn if patient is past eligibility for the medication and direct you to order the Outpatient Covid-19 treatment (Outpatient Referral).

nirmatrelvir-ritonavir (PAXLOVID) 150 mg x 2- 100 mg dose pack (STANDARD DOSING) ✓ Accept ✗ Cancel

Reference Links:

- 1. Liverpool Paxlovid Drug Interaction Checker
- 2. Lexi-Drugs
- 3. Pediatric Lexi-Drugs
- 4. LactMed
- 5. Paxlovid EUA
- 6. Covid-19 Therapeutics Locator
- 7. MedWatch: Required Adverse Event Reporting

Date of symptom onset:  

**!** Symptom onset > 5 days.


Patient not eligible. Use Outpatient Covid-19 treatment (Outpatient Referral) for IV treatment consideration.

For the standard dose pack, if the patient's eGFR is >60 and the question is answered YES, there are no more questions and you can sign the order.

nirmatrelvir-ritonavir (PAXLOVID) 150 mg x 2- 100 mg dose pack (STANDARD DOSING) ✓ Accept ✗ Cancel

Reference Links:

- 1. Liverpool Paxlovid Drug Interaction Checker
- 2. Lexi-Drugs
- 3. Pediatric Lexi-Drugs
- 4. LactMed
- 5. Paxlovid EUA
- 6. Covid-19 Therapeutics Locator
- 7. MedWatch: Required Adverse Event Reporting

Date of symptom onset:  

Patient does not have a history of liver impairment, hepatitis, or elevated liver enzymes.

I have checked the Liverpool Drug Interaction Checker (Reference link 1) for interactions.

Patient understands and can safely manage all drug interactions per Liverpool recommendations while on Paxlovid and for up to 3 days after.

Is the patient's eGFR > 60? (If patient is 75 yrs or older, is CrCl > 60)

Product: **NIRMATRELVIR 300 MG (150 MG X 2)-RITONAVIR 100 MG TABLET (EUA) (STANDARD DOSE PACK)**

## Exceptions to Standard Dose process:

Renal Dosing:

If the Standard Dose Pack is ordered, and the patient's eGFR is not over 60 and the question is answered NO, additional questions will fire.

nirmatrelvir-ritonavir (PAXLOVID) 150 mg x 2- 100 mg dose pack (STANDARD DOSING) ✓ Accept ✗ Cancel

Reference Links: 

- 1. Liverpool Paxlovid Drug Interaction Checker
- 2. Lexi-Drugs
- 3. Pediatric Lexi-Drugs
- 4. LactMed
- 5. Paxlovid EUA
- 6. Covid-19 Therapeutics Locator
- 7. MedWatch: Required Adverse Event Reporting

Date of symptom onset:

Patient does not have a history of liver impairment, hepatitis, or elevated liver enzymes. Acknowledged

I have checked the Liverpool Drug Interaction Checker (Reference link 1) for interactions. Acknowledged

Patient understands and can safely manage all drug interactions per Liverpool recommendations while on Paxlovid and for up to 3 days after. Acknowledged

Is the patient's eGFR > 60? (If patient is 75 yrs or older, is CrCl > 60) Yes No

**!** Is the patient's eGFR > 30 and < 60? (If patient is 75 yrs or older, is CrCl > 30 and < 60) Yes No

Product: **NIRMATRELVIR 300 MG (150 MG X 2)-RITONAVIR 100 MG TABLET (EUA) (STANDARD DOSE PACK)**

If the patient's eGFR is between 30 and 60, the ERX will direct you to order the Renal Dose Pack.

nirmatrelvir-ritonavir (PAXLOVID) 150 mg x 2- 100 mg dose pack (STANDARD DOSING) Accept Cancel

Reference Links:

- 1. Liverpool Paxlovid Drug Interaction Checker
- 2. Lexi-Drugs
- 3. Pediatric Lexi-Drugs
- 4. LactMed
- 5. Paxlovid EUA
- 6. Covid-19 Therapeutics Locator
- 7. MedWatch: Required Adverse Event Reporting

Date of symptom onset:

Patient does not have a history of liver impairment, hepatitis, or elevated liver enzymes.

I have checked the Liverpool Drug Interaction Checker (Reference link 1) for interactions.

Patient understands and can safely manage all drug interactions per Liverpool recommendations while on Paxlovid and for up to 3 days after.

Is the patient's eGFR > 60? (If patient is 75 yrs or older, is CrCl > 60)

Is the patient's eGFR > 30 and < 60? (If patient is 75 yrs or older, is CrCl > 30 and < 60)

Patient requires renal dose adjustment.

Product: **NIRMATRELVIR 300 MG (150 MG X 2)-RITONAVIR 100 MG TABLET (EUA) (STANDARD DOSE PACK)**

If the patient's eGFR is less than 30, the ERX will direct you to the Outpatient Covid-19 treatment (Outpatient Referral).

nirmatrelvir-ritonavir (PAXLOVID) 150 mg x 2- 100 mg dose pack (STANDARD DOSING) ✓ Accept ✗ Cancel

Reference Links: 

- 1. Liverpool Paxlovid Drug Interaction Checker
- 2. Lexi-Drugs
- 3. Pediatric Lexi-Drugs
- 4. LactMed
- 5. Paxlovid EUA
- 6. Covid-19 Therapeutics Locator
- 7. MedWatch: Required Adverse Event Reporting

Date of symptom onset:

Patient does not have a history of liver impairment, hepatitis, or elevated liver enzymes.

I have checked the Liverpool Drug Interaction Checker (Reference link 1) for interactions.

Patient understands and can safely manage all drug interactions per Liverpool recommendations while on Paxlovid and for up to 3 days after.

Is the patient's eGFR > 60? (If patient is 75 yrs or older, is CrCl > 60)

Is the patient's eGFR > 30 and < 60? (If patient is 75 yrs or older, is CrCl > 30 and < 60)

**!** This patient's eGFR or CrCl is less than 30. This medication is not recommended.

Product: **NIRMATRELVIR 300 MG (150 MG X 2)-RITONAVIR 100 MG TABLET (EUA) (STANDARD DOSE PACK)**



If the renal dose pack is ordered, and the patient's eGFR is between 30-60, the questions end and the order can be signed.

nirmatrelvir-ritonavir (PAXLOVID, EUA) 150-100 mg dose pack (RENAL DOSING) ✓ Accept ✗ Cancel

Reference Links:

- 1. Liverpool Paxlovid Drug Interaction Checker
- 2. Lexi-Drugs
- 3. Pediatric Lexi-Drugs
- 4. LactMed
- 5. Paxlovid EUA
- 6. Covid-19 Therapeutics Locator
- 7. MedWatch: Required Adverse Event Reporting

Date of symptom onset:

Patient does not have a history of liver impairment, hepatitis, or elevated liver enzymes.

I have checked the Liverpool Drug Interaction Checker (Reference link 1) for interactions.

Patient understands and can safely manage all drug interactions per Liverpool recommendations while on Paxlovid and for up to 3 days after.

Is the patient's eGFR > 30 and < 60? (If patient is 75 yrs or older, is CrCl > 30 and < 60)

Product: **PAXLOVID 150 MG-100 MG TABLET (EUA) (RENAL DOSE PACK)**

If the patient's eGFR is > 60, the ERX will direct you to order the Standard Dose Pack.

**nirmatrelvir-ritonavir (PAXLOVID, EUA,) 150-100 mg dose pack (RENAL DOSING)** ✓ Accept ✗ Cancel

Reference Links:

- 1. [Liverpool Paxlovid Drug Interaction Checker](#)
- 2. [Lexi-Drugs](#)
- 3. [Pediatric Lexi-Drugs](#)
- 4. [LactMed](#)
- 5. [Paxlovid EUA](#)
- 6. [Covid-19 Therapeutics Locator](#)
- 7. [MedWatch: Required Adverse Event Reporting](#)

Date of symptom onset:

Patient does not have a history of liver impairment, hepatitis, or elevated liver enzymes.

I have checked the [Liverpool Drug Interaction Checker](#) (Reference link 1) for interactions.

Patient understands and can safely manage all drug interactions per Liverpool recommendations while on Paxlovid and for up to 3 days after.

Is the patient's eGFR > 30 and < 60? (If patient is 75 yrs or older, is CrCl > 30 and < 60)

Is the patient's eGFR > 60? (If patient is 75 yrs or older, is CrCl > 60)

Patient does not require renal dose adjustment.

Product: **PAXLOVID 150 MG-100 MG TABLET (EUA) (RENAL DOSE PACK)**

If the patient's eGFR is <30, the ERX directs you to the Outpatient Covid-19 treatment (Outpatient Referral).

nirmatrelvir-ritonavir (PAXLOVID, EUA), 150-100 mg dose pack (RENAL DOSING) ✓ Accept ✗ Cancel

Reference Links:

- 1. Liverpool Paxlovid Drug Interaction Checker
- 2. Lexi-Drugs
- 3. Pediatric Lexi-Drugs
- 4. LactMed
- 5. Paxlovid EUA
- 6. Covid-19 Therapeutics Locator
- 7. MedWatch: Required Adverse Event Reporting

Date of symptom onset:

Patient does not have a history of liver impairment, hepatitis, or elevated liver enzymes.

I have checked the Liverpool Drug Interaction Checker (Reference link 1) for interactions.

Patient understands and can safely manage all drug interactions per Liverpool recommendations while on Paxlovid and for up to 3 days after.

Is the patient's eGFR > 30 and < 60? (If patient is 75 yrs or older, is CrCl > 30 and < 60)

Is the patient's eGFR > 60? (If patient is 75 yrs or older, is CrCl > 60)

**⚠** This patient's eGFR or CrCl is less than 30. This medication is not recommended.

Product: **PAXLOVID 150 MG-100 MG TABLET (EUA) (RENAL DOSE PACK)**

If ordering Molnupiravir, the process is the same. The date of symptom onset will warn if patient is past eligibility for the medication and direct you to order the Outpatient Covid-19 treatment (Outpatient Referral). Otherwise, answer the questions as appropriate and sign the order.

molnupiravir 200 mg capsule

 Accept
  Cancel

Reference Links:

- [Lexi-Drugs](#)
- [Molnupiravir EUA](#)
- [Pediatric Lexi-Drugs](#)
- [Covid-19 Therapeutics Locator](#)
- [LactMed](#)
- [MedWatch: Required Adverse Event Reporting](#)

Due to embryofetal toxicity, patient is a male or female 50 years or older and not of child-bearing potential or has had a hysterectomy.

Regardless of age, patient was counseled to use effective contraception during molnupiravir and for 4 days after last dose (female) or 3 months after last dose (male).

**Product:** **MOLNUPIRAVIR 200 MG CAPSULE (EUA)**

**Dose:**  mg

Calculated dose: 4 capsule

**Route:**

**Frequency:**

**Duration:**

Starting:  Ending:  First fill:

**Dispense:** Days/Fill:

Quantity:  capsule Refill:

Total Supply: 5 Days

Dispense As Written

Renewal Provider:   Do not send renewal requests to me

---

Mark long-term:  MOLNUPIRAVIR

**Patient Sig:**

**Class:**

**Note to Pharmacy:**

**Indications:**

Next Required

 Accept
  Cancel

## Drug Interaction Considerations:

- Epic drug-drug interaction warnings are **incomplete**
  - Does not fire for potentially clinically significant interactions (eg. dofetilide)
  - Important interaction management strategies are not included

nirmatrelvir-ritonavir (PAXLOVID) 150 mg x 2- 100 mg dose pack (STANDARD DOSING) Accept Cancel

Reference Links:

- 1. Liverpool Paxlovid Drug Interaction Checker
- 2. Lexi-Drugs
- 3. Pediatric Lexi-Drugs
- 4. Lactimed
- 5. Paxlovid EUA
- 6. Covid-19 Therapeutics Locator
- 7. MedWatch: Required Adverse Event Reporting

Date of symptom onset:

Patient does not have a history of liver impairment, hepatitis, or elevated liver enzymes. Acknowledged

**I have checked the Liverpool Drug Interaction Checker (Reference link 1) for interactions.** Acknowledged

Patient understands and can safely manage all drug interactions per Liverpool recommendations while on Paxlovid and for up to 2 days after

This is considered the “gold standard” interaction checker for Covid-19.

**COVID-19 Drug Interactions** UNIVERSITY OF LIVERPOOL

About Interaction Checkers Prescribing Resources Contact Us

**NEW - brincidofovir and tecovirimat (antivirals for monkeypox) added to the co-medication list**

**If a drug is not listed below it cannot automatically be assumed it is safe to coadminister.**

COVID Drugs	Co-medications	Drug Interactions
<input type="text" value="Search drugs..."/>	<input type="text" value="Search co-medications..."/>	<input type="checkbox"/> Check COVID/COVID drug interactions
		Drug Interactions will be displayed here

## Inventory Considerations:

- Utilize “Covid-19 Therapeutics Locator” to confirm patient’s pharmacy carries Paxlovid prior to sending order
  - Not all community pharmacies carry Paxlovid
  - Inventory status **may not be accurate** – pharmacies are not required to report and website data may be up to 2 weeks old.
  - Several reports of complete stock-outs at Dayton-area Kroger Pharmacies

nirmatrelvir-ritonavir (PAXLOVID) 150 mg x 2- 100 mg dose pack (STANDARD DOSING) ✓ Accept ✗ Cancel

Reference Links:

- 1. Liverpool Paxlovid Drug Interaction Checker
- 2. Lexi-Drugs
- 3. Pediatric Lexi-Drugs
- 4. LactMed
- 5. Paxlovid EUA
- 6. Covid-19 Therapeutics Locator
- 7. MedWatch: Required Adverse Event Reporting

! Date of symptom onset:

! Patient does not have a history of liver impairment, hepatitis, or elevated liver enzymes.  
Acknowledged

! I have checked the Liverpool Drug Interaction Checker (Reference link 1) for interactions.  
Acknowledged

! Patient understands and can safely manage all drug interactions per Liverpool recommendations while on Paxlovid and for up to 2 days after

- Consider sending to KH Retail Pharmacies during operating hours if patient's preferred pharmacy does not carry. The hours of operation can be found in the Pharmacy search window.

Pharmacy Search

Insurance suggested mail order pharmacy  
IngenioRx Home Delivery Pharmacy - Mount Prospect, IL - 800 Biermann Court

Name: KHN

Address: [Empty]

City: [Empty]

State: [Empty] ZIP: [Empty]

Phone/Fax: [Empty]

Patient and clinic's nearby ZIP codes (454xx)

Suggested | Search Results

Results found: 10.

Name	S..	E-Rx?	T...	M..	Phone	Fax	Hours	Intersection o
☆ KHN PHARMACY - BEAVERCREEK - BEAVERCREEK, OH - 2510 COMMONS BLVD STE 100		Yes	E...		937-558-3030	937-558-3031	M-F 8:30am-5:30pm	
☆ KHN PHARMACY - CASSANO - Dayton, OH - 165 S Edwin C Moses Blvd		Yes	E...		937-558-0199	937-558-0198	M-Th 8:30am-5pm F 8:30am-1pm	
☆ KHN PHARMACY - GRANDVIEW - DAYTON, OH - 405 W GRAND AVENUE		Yes	E...		937-723-3530	937-723-3531	M-F 7am-5pm	

There is also a filter in the Pharmacy search window that will give you an estimate if a pharmacy has inventory. This information is coming from the website linked in the medication record so **it may not be accurate** and the data may be up to 2 weeks old.

The screenshot shows a 'Pharmacy Search' window with the following details:

- Insurance suggested mail order pharmacy:** CVS Caremark MAILSERVICE Pharmacy - Scottsdale, AZ - 9501 E Shea Blvd AT Portal to Registered Caremark Sites
- Search Results:** Results found: 100, more results to load.
- Filters:**
  - Patient's and clinic's nearby ZIP codes (453xx, 454xx)
  - Mail order
  - 24-hour
  - My organization
  - Retail
  - Specialty
  - Long-Term care
  - DME
  - Compounding
  - COVID-19 Therapeutics
- Search Results Table:**

Name	COVID-19 Therapeutics	Store No.	E-Rx?	Type	Mail Ord..
☆ CVS/pharmacy #6134 - GREENVILLE, OH - 1009 EAST MAIN ST. AT CORNER OF WAGNER	molnupiravir 200 mg capsule; nirmatrelvir-ritonavir (PAXLOVID) 150 mg x 2- 100 mg dose pack	6134	Yes	External	
☆ CVS/pharmacy #3453 - DAYTON, OH - 32 N LUDLOW ST AT CORNER OF GOLDENROD ROAD	molnupiravir 200 mg capsule; nirmatrelvir-ritonavir (PAXLOVID) 150 mg x 2- 100 mg dose pack	3453	Yes	External	
☆ CVS/pharmacy #3461 - DAYTON, OH - 3920 LINDEN AVE. AT EAST TOWN PLAZA	molnupiravir 200 mg capsule; nirmatrelvir-ritonavir (PAXLOVID) 150 mg x 2- 100 mg dose pack	3461	Yes	External	
☆ CVS/pharmacy #3467 - DAYTON, OH - 1300 WILMINGTON AVENUE AT BREITENSTRATER SHOPPING PLAZA	molnupiravir 200 mg capsule; nirmatrelvir-ritonavir (PAXLOVID) 150 mg x 2- 100 mg dose pack	3467	Yes	External	
☆ CVS/pharmacy #3411 - FAIRBORN, OH - 200 E DAYTON YELLOW SPRINGS RD AT CORNER OF BEAVERVALLEY ROAD	molnupiravir 200 mg capsule; nirmatrelvir-ritonavir (PAXLOVID) 150 mg x 2- 100 mg dose pack	3411	Yes	External	
☆ CVS/pharmacy #3420 - KETTERING, OH - 1410 E DOROTHY LN AT WILMINGTON PIKE	molnupiravir 200 mg capsule; nirmatrelvir-ritonavir (PAXLOVID) 150 mg x 2- 100 mg dose pack	3420	Yes	External	
- Buttons:** Send to Multiple Pharmacies, Accept, Cancel



Filters may be combined also so if you search for a specific pharmacy, like the KHN pharmacies, and select the Covid-19 Therapeutics filter, it will show the inventory column in addition to the specific pharmacy.

x
Pharmacy Search

**Insurance suggested mail order pharmacy**  
CVS Caremark MAILSERVICE Pharmacy - Scottsdale, AZ - 9501 E Shea Blvd AT Portal to Registered Caremark Sites

Name  
KHN

Address

City

State    ZIP  
   

Phone/Fax

Patient's and clinic's nearby ZIP codes (453xx, 454xx)  
...  
 Mail order  
 24-hour  
 My organization  
 Retail  
 Specialty  
 Long-Term care  
 DME  
 Compounding  
 COVID-19 Therapeutics

Suggested    **Search Results**

Results found: 9.

Name	COVID-19 Therapeutics	Store No.	E-Rx?	Type	Mail Ord..
☆ KHN PHARMACY - BEAVERCREEK - BEAVERCREEK, OH - 2510 COMMONS BLVD STE 100	molnupiravir 200 mg capsule; nirmatrelvir-ritonavir (PAXLOVID) 150 mg x 2- 100 mg dose pack		Yes	External	
☆ KHN PHARMACY - CASSANO - Dayton, OH - 165 S Edwin C Moses Blvd	molnupiravir 200 mg capsule; nirmatrelvir-ritonavir (PAXLOVID) 150 mg x 2- 100 mg dose pack		Yes	External	
☆ KHN PHARMACY - EATON - EATON, OH - 450 B WASHINGTON JACKSON ROAD	molnupiravir 200 mg capsule; nirmatrelvir-ritonavir (PAXLOVID) 150 mg x 2- 100 mg dose pack		Yes	External	
☆ KHN PHARMACY - GRANDVIEW - DAYTON, OH - 405 W GRAND AVENUE	molnupiravir 200 mg capsule; nirmatrelvir-ritonavir (PAXLOVID) 150 mg x 2- 100 mg dose pack		Yes	External	
☆ KHN PHARMACY - HUBER - Huber Heights, OH - 8701 Troy Pike	molnupiravir 200 mg capsule; nirmatrelvir-ritonavir (PAXLOVID) 150 mg x 2- 100 mg dose pack		Yes	External	
☆ KHN PHARMACY - KETTERING - Kettering, OH - 3535 Southern Blvd	molnupiravir 200 mg capsule; nirmatrelvir-ritonavir (PAXLOVID) 150 mg x 2- 100 mg dose pack		Yes	External	
☆ KHN Pharmacy-Soin - Beavercreek, OH - 3535 Pentagon Blvd	molnupiravir 200 mg capsule; nirmatrelvir-ritonavir (PAXLOVID) 150		Yes	External	